



165
34

$\frac{3700}{11} = 17$








FIG. 4

If it is determined that the user has not
 added a new item to the list, the system
 will prompt the user to add a new item to the list.




FIG. 5

FIG. 7 is a perspective view of the device 100 in a closed position. The device 100 includes a housing 102, a lid 104, and a handle 106. The housing 102 includes a front panel 108, a side panel 110, and a back panel 112. The lid 104 includes a top panel 114, a side panel 116, and a back panel 118. The handle 106 is attached to the front panel 108. The device 100 is shown in a closed position, with the lid 104 covering the front panel 108. The device 100 is shown in a perspective view, with the front panel 108 and the lid 104 being the most prominent features. The device 100 is shown in a perspective view, with the front panel 108 and the lid 104 being the most prominent features.




FIG. 7




FIG. 8




FIG. 9A
PRIOR ART

FIG. 9B
PRIOR ART





FIG. 9C
PRIOR ART




FIG. 9D
PRIOR ART

FIG. 9E
PRIOR ART





FIG. 10
PRIOR ART






FIG. 11








FIG. 12B




FIG. 13A




FIG. 13B

FIG. 13C is a perspective view of the device 100 in a closed position, showing the top surface 130 and the side surface 132. The device 100 is a rectangular box with a lid 150 and a base 160. The lid 150 is hinged to the base 160 at the front edge 138. The lid 150 is divided into four quadrants 182A, 182B, 182C, and 182D by a central cross 188. The base 160 is divided into four quadrants 182A, 182B, 182C, and 182D by a central cross 188. The device 100 is shown in a closed position, with the lid 150 covering the base 160. The device 100 is shown in a perspective view, with the top surface 130 and the side surface 132 visible. The device 100 is shown in a perspective view, with the top surface 130 and the side surface 132 visible. The device 100 is shown in a perspective view, with the top surface 130 and the side surface 132 visible.




FIG. 13C




FIG. 13D




FIG. 14